

NB 34m Fast Crew Support Utility Vessel for sale. Deliverable within 3 months from shipyard.

MAIN PARTICULARS

Type of Vessel: **34 Meter Aluminum, Fast Crew Support Vessel , Utility Vessel**
Length Overall: **34.00 m**
2.3 Beam: **7.85 m**
Summer Draft: **3.30 m**
Summer Freeboard: **2.305 m**
Freeboard on SBT:
GRT / NRT: **226 / 68**
Deadweight(DWT):

CARGO DECK

Deck Cargo: **+/-40 M tons**
Clear Deck Space: **(13.4 m x 6 m)**
Clear Deck Area: **(80 m²)**
Safe Deck Loading: **2.5 Tonne/m²**
Cargo Railing Height: **1.118 m**
Remark: **Adequate cargo retainers and lashing lugs on both sides for securing deck cargo**

CLASSIFICATION SOCIETY

Classification Society / ID: **Bureau Veritas /11154B**

MACHINERY

Number of Main Engines: **3**
Propulsion: **Triple screw**
Make / Type: **Caterpillar C32 1450HP**
Total BHP / KW: **3 x 1,450 BHP @ 2300 rpm**
Bow Thruster: **1 x 700 kg Thrust**
Propellers: **3 Four Blades, Fixed Pitch, Nickel Aluminum Bronze**

PERFORMANCE

Maximum Speed: **27.0 knots @ 100%MCR @ 31TDWT**
Maximum Fuel Consumption: **520 ltrs/hr**
Economical Speed: **24.0 knots @ 85%MCR @ 31T DWT**
Economical Fuel Consumption: **450 ltrs/hr**

GENERATING SETS (AUXILIARIES)

Auxiliaries Engine: **2 x Cummins**
Make / Type: **Cummins 6BT5.9 DM**
Alternators: **2 x 75 kW**
Vessel Power Supply: **415/220 Volt AC, 50Hz, 3ph + 24 Volt DC**

ELECTRICAL (DECK OUTLET)

Type: **3 x Weatherproof Electrical Sockets**
Power Supply: **3 phase / 50Hz / 415V**
Shore Power Connection: **Yes**

ACCOMMODATIONS

Cabins / Berths:	6/10
Hospital / Owners:	2 bunk c/w toilet on main deck
Seating:	50
Reclining Aircraft Type:	Economy Seats
Toilets:	2 for passenger use only
Entertainment:	3 TV/Movie Screen

LIFE SAVING (SOLAS) EQUIPMENT

Life Rafts:	100 persons each side
Life Jackets:	90
Life Buoys:	8 on board per SOLAS
Rescue Zone:	Yes
Scrambling Nets:	2 units
Other Equipment:	Pyrotechnics, Line throwing apparatus

ELECTRONICS AND CONTROLS

GMDSS:	1 set (MCMURDO)
VHF:	2 sets (SAILOR)
SSB Radio:	1 set (SAILOR)
Satellite Telephone / Fax:	Trachphone Mini-M
Email:	Globe wireless
GPS:	1 set (Furuno, SC-502)
Depth / Echo Sounder:	1 set (Skipper Nanjing Marine, ED161)
Gyro Compass:	1 set (CASSENS & PLATH GmbH)
Magnetic Compass:	1 set (CASSENS & PLATH GmbH)
Autopilot:	1 set SIMRAD AP50
Navtex:	1 set (MC MURDO, ICS NAV 5 PLUS)
Wind Speed Indicator:	RO WIND/RD-30/PC-208L
Public Address / Intercom System:	PHONTECH, CIS 3102
Search Lights:	KUKDONG – KOREA, PSH-1K
EPIRB:	1set (SATFIND, Nat Satfind 406II)
SART:	2 sets (ACR PATHFINDER TM)
AIS:	SIMRAD, A180

TANK CAPACITIES AND PUMPS

Fresh Water:	20 m ³ (approx) @ discharge p/p 2.1 m ³ /hr, 22 m head
Fuel Oil:	50 m ³ (approx) @ discharge p/p 3 m ³ /hr, 15 m head

OIL POLLUTION TANK CAPACITY

Sludge Tank:	600 ltrs
Dispersant Tank :	200 ltrs

GENERAL FEATURES

Forward and aft Bridge Control (Bridge / Maneuvering Stations), Bow thruster control set at both steering stations

EMERGENCY RESPONSE FEATURES

Fire Fighting:	External Fire monitor driven by 600m ³ Fire pump + 4" Weco connection to platform
Deck Spray Shield:	Yes
Oil Dispersant Booms:	Yes
Inflatable Workboat with 20 HP Outboard motor:	Yes



GLOBAL CHIMAKS

**Edif. 'THE HEIGHTS',
Apt. B110, Calle Rodeo.
38650 Los Cristianos,
Tenerife, Spain.**

Web; www.globalchimaks.com

**Email; tony@globalchimaks.com
tonychar5@yahoo.com**

Tel; +34 650 869 504

Fax; +34 922 793 104